

Unionville Appliance Ltd.

















Sales and Service for Most Makes and Models








Service: 905-472-0021 Parts: 905-472-0021 / 1-800-303-9948

















Stove Reference Diagrams

These diagrams are to assist you in identifying the part(s) you need. This is only an example as there are many different models. You may reference the numbers shown in these diagrams to assist Unionville Appliance in providing the correct part.

Bake & Broil Elements – Part 2

















| ELEMENTS | | BAKE & BROIL ELEMENTS 19.5" TO 21.5" WIDE | | | |
|--|---|---|--|--|--|
|  <p>211683-1010 (EB770) (Broil) 2500 Watts/240 Volts Width: 18.5 Length: 15.6 Insert: 3.7 Mount: U</p> |  <p>CT427 (EB780) (Bake) 2700/2075 Watts/240/208 Volts Width: 19.5 Length: 16.3 Insert: 3.0 Mount: 0.8</p> |  <p>CT423 (EB790) (Bake) 3000/2250 Watts/240/208 Volts Width: 19.5 Length: 16.3 Insert: 3.0 Mount: 0.8</p> |  <p>CT421 (EB710) (Bake) 3000/2250 Watts/240/208 Volts Width: 19.5 Length: 14.5 Insert: 2.0 Mount: 1.4</p> | | |
|  <p>CT402 (EB612) (RB402) (Bake) 3000 Watts/240 Volts Width: 20.0 Length: 17.4 Insert: 1.4 Mount: 6.0</p> |  <p>CT406 (EB820) (Bake) 2700/2075 Watts/240/208 Volts Width: 20.0 Length: 14.1 Insert: 2.0 Mount: 1.8</p> |  <p>CT417 (EB830) (Bake) 5000 Watts/240 Volts Width: 20.5 Length: 16.6 Insert: 1.5 Mount: 1.6</p> |  <p>CT405 (EB610) (Bake) 2700 Watts/240 Volts Width: 20.0 Length: 17.4 Insert: 1.4 Mount: 6.0</p> | | |
|  <p>CT424 (EB660, EB682) (Bake) 2500 Watts/240 Volts Width: 21.0 Length: 12.4 Insert: 2.3 Mount: 1.8</p> |  <p>RP44X126 3000 Watts/240 Volts Width: 19.33 Length: 15.75 Insert: 1.5 Mount: 1.15</p> |  <p>RP653 (EB840) (Bake) 3000/2250 Watts/240/208 Volts Width: 20.9 Length: 15.3 Insert: 2.5 Mount: 1.3</p> |  <p>CT337 (Bake) 2500 Watts/240 Volts Width: 21.0 Length: 14.5 Insert: 2.75 Mount: 1.9</p> | | |
|  <p>CT307 (EB672) (Bake) 3000/2000 Watts/250/208 Volts Width: 21.0 Length: 16.8 Insert: 2.5 Mount: 1.8</p> |  <p>RP775 2000 Watts/240 Volts Width: 19.25 Length: 15.0 Insert: 3.75 Mount: U</p> |  <p>CT409 (EB680, EB682) (Bake) 2600 Watts/240 Volts Width: 21.3 Length: 16.9 Insert: 1.4 Mount: U</p> |  <p>CT301 (EB690) (Bake) 2700 Watts/240 Volts Width: 21.5 Length: 16.6 Insert: 2.2 Mount: 1.8</p> | | |

| BAKE & BROIL ELEMENTS 22.0" TO 25.0" WIDE | | | ELEMENTS |
|--|---|--|--|
|  <p>CT98 (EB928) (Bake) 3000 Watts/240 Volts Width: 22.0 Length: 14.3 Insert: 1.8 Mount: 0.8</p> |  <p>CT151 (EB750) (Bake) 3000 Watts/240 Volts Width: 22.0 Length: 15.6 Insert: 3.3 Mount: 1.8</p> |  <p>EB938 (Bake) 3000 Watts/240 Volts Width: 22.0 Length: 15.6 Insert: 3.0 Mount: 1.6</p> |  <p>CT327 (EB942) (Bake) 2500/1950 Watts/250-208 Volts Width: 22.3 Length: 13.5 Insert: 4.0 Mount: 1.3</p> |
|  <p>CT99 (EB930) (Bake) 3000 Watts/240 Volts Width: 22.3 Length: 15.1 Insert: 2.5 Mount: 1.0</p> |  <p>CT323 (EB980) (Bake) 3500 Watts/240 Volts Width: 25.0 Length: 14.3 Insert: 2.3 Mount: 1.8</p> |  <p>CT419 (EB910) (Bake) 3000 Watts/240 Volts Width: 23.0 Length: 15.1 Insert: 1.3 Mount: 0.8</p> | |

















| ELEMENTS | | BAKE & BROIL ELEMENTS G.E.M. | |
|---|--|--|--|
|  <p>0064288 (Bake) 1350 Watts Width: 3.9 Length: 17.0 Insert: 2.0 Amana/Culoric Upper Oven</p> |  <p>0091221 (Bake) 2000 Watts Width: 6.8 Length: 16.3 Insert: 2.0 Amana/Culoric</p> |  <p>0042162 (Broil Element) 1800 Watts Width: 7.8 Length: 16.0 Insert: 1.4 Amana/Culoric</p> |  <p>12052 1800 Watts/240 Volts Width: 6.3 Length: 15.3 Insert: 2.1 Dacor</p> |
|  <p>04100006 (701945) (Grill) 2500 Watts Width: 8.0 Length: 16.0 Insert: 2.1 Maytag/Jen Air</p> |  <p>04100007 (700491) (Grill) 2800 Watts Width: 8.0 Length: 15.8 Insert: 2.1 Maytag/Jen Air</p> |  <p>04100024 (Grill) (707634, 78768) 2800 Watts Width: 8.0 Length: 15.8 Insert: 2.1 Maytag/Jen Air</p> |  <p>0042162 (Grill) 1400 Watts Width: 9.5 Length: 12.5 Insert: 1.8 Culoric</p> |
|  <p>0042171 (Grill) 2400 Watts Width: 8.6 Length: 15.5 Insert: 1.2 Amana/Culoric</p> |  <p>0051727 (BBQ) 1800 Watts Width: 10.3 Length: 15.5 Insert: 1.4 Amana/Culoric</p> |  <p>02017 (82089) (Broil) 3500 Watts Width: 11.0 Length: 11.0 Insert: 1.8 Dacor</p> |  <p>700619 (Broil) 2000 Watts Width: 11.3 Length: 11.5 Insert: 0.8 Maytag/Jen Air</p> |
|  <p>WB44M81 (Broil) 3000 Watts/208 Volts Width: 11.3 Length: 17.0 Insert: 2.3 Culoric</p> |  <p>04100016 (701729) (Broil) 3000 Watts Width: 12.5 Length: 16.2 Insert: 3.0 Maytag/Jen Air</p> |  <p>04100015 (702551) (Broil) 3000 Watts Width: 12.4 Length: 16.0 Insert: 3.3 Maytag/Jen Air</p> |  <p>715269 (700613) (Broil) 2000 Watts Width: 12.4 Length: 16.8 Insert: 4.0 Maytag/Jen Air</p> |






A352

Part Numbers and Descriptions Listed are a y/n certification. Items offered for sale are not specified to be manufactured by the company that it does apply.

| BAKE & BROIL ELEMENTS D.E.S.I. | | | ELEMENTS | |
|--|--|---|--|--|
|  <p>0042136 (Broil) 3000 Watts Width: 12.4 Length: 16.0 Insert: 1.0 Maytag/Jen. Jr</p> |  <p>708267 (Bake) 3000 Watts Width: 12.4 Length: 16.0 Insert: 1.0 Maytag/Jen. Jr</p> |  <p>0042138 (Broil) 3000 Watts Width: 12.5 Length: 15.2 Insert: 2.0 Amana/Caloric</p> |  <p>0400048 (Bake) 3000 Watts Width: 12.3 Length: 15.3 Insert: 2.2 Maytag/Majic Chef</p> | |
|  <p>0042137 (Bake) 3000 Watts Width: 13.0 Length: 15.0 Insert: 2.3 Amana</p> |  <p>0042138 (Broil) 3000 Watts Width: 13.2 Length: 14.4 Insert: 2.3 Amana/Caloric</p> |  <p>0042152 (Slow Cook) 1000 Watts Width: 13.6 Length: 13.8 Insert: 2.5 Amana/Caloric</p> |  <p>0042152 (Broil) 2550 Watts Width: 13.8 Length: 16.0 Insert: 3.0 Amana/Caloric</p> | |
|  <p>14-29-000 (Bake) 2700 Watts Width: 13.0 Length: 16.5 Insert: 2.0 Thomson</p> |  <p>14-29-000 (Bake) 2700 Watts Width: 13.0 Length: 16.5 Insert: 2.0 Thomson</p> |  <p>755834 (C70450) (Bake) 1800 Watts Width: 15.4 Length: 16.5 Insert: 2.3 Thomson</p> |  <p>14-29-053 (Bake) 2600 Watts Width: 13.4 Length: 16.0 Insert: 2.2 Thomson</p> | |
|  <p>0042137 (Bake) 3000 Watts Width: 13.0 Length: 15.5 Insert: 2.5 Amana</p> |  <p>0042166 (Bake) 2700 Watts Width: 13.5 Length: 15.5 Insert: 2.5 Amana/Caloric</p> |  <p>RP701 (14-09-453) (Bake) 1800 Watts Width: 16.7 Length: 16.8 Insert: 2.5 Thomson</p> |  <p>0410020 (Bake) 2600 Watts Width: 16.8 Length: 16.1 Insert: 3.0 Maytag/Jen. Jr</p> | |

Dimensions and specifications for each model are given in inches. Some elements for sale are not represented by a model number. For more information, please contact the manufacturer.

| ELEMENTS | | BAKE & BROIL ELEMENTS | |
|---|---|---|---|
| O.E.M. | | | |
|  <p>0042158 RP825 (Bake) 2200 Watts 0050398 RP825 (Bake) 1750 Watts Width: 14.5 Length: 11.8 Insert: 3.9 Amana/Caloric</p> |  <p>0042146 (Pyro Bake) 3000 Watts Width: 17.8 Length: 18.0 Insert: 4.3 Amana/Caloric</p> |  <p>04000041 (04000038) (Bake/Broil) 2565 Watts Width: 19.0 Length: 15.5 Insert: 3.0 Maytag/Magic Chef</p> |  <p>0068039 (Bake) 2100 Watts Width: 20.3 Length: 13.5 Insert: 3.0 Amana/Caloric</p> |
|  <p>0042136 (Bake) 3000 Watts Width: 20.5 Length: 16.5 Insert: 2.5 Amana/Caloric</p> |  <p>82100 (Bake) 2200 Watts Width: 20.5 Length: 18.0 Insert: 1.8 Dacor</p> |  <p>9750214 (TIBC-21108-031) 2200 Watts Width: 16.5 Length: 15.0 Insert: 2.5 Whirlpool/Inglis/Admiral</p> |  <p>9750417 1100W/2500W/2500W Width: 20.5 Length: 15.25 Insert: 2.25 Whirlpool/Inglis/Admiral</p> |
|  <p>9750211 (TIBC-21115-001) 3000 Watts Width: 18.0 Length: 14.5 Insert: 2.4 Whirlpool/Inglis/Admiral</p> |  <p>9750213 (TIBC-21107-001) 2500 Watts Width: 19.0 Length: 15.5 Insert: 2.5 Whirlpool/Inglis/Admiral</p> |  <p>86475 (82680) 2200 Watts Width: 23.0 Length: 14.25 Insert: 1.0 Dacor</p> |  <p>82989 2200 Watts Width: 17.0 Length: 15.0 Insert: 1.0 Dacor</p> |
|  <p>82817 3500 Watts Width: 13.0 Length: 16.25 Insert: 2.0 Dacor</p> |  <p>0089274 (Bake) 2400 Watts Width: 19.3 Length: 14.8 Insert: 3.8 Amana/Caloric</p> |  <p>04100019 (Bake) 2500 Watts Width: 19.0 Length: 16.0 Insert: 3.0 Maytag/Jenn Air</p> |  <p>74003019 (UB870) (Bake) 2800 Watts, 2200 Watts Width: 19.0 Length: 15.0 Insert: 3.5 Maytag/Jenn Air</p> |

| BAKE & BROIL ELEMENTS G.E.M. | | ELEMENTS | |
|--|--|---|--|
|  <p>07407600</p> <p>2118900 3000 Watts Width: 21" Length: 15 3/4" Voltage: 240 Amara/Colo-ic</p> |  <p>07431100</p> <p>3000 Watts Width: 15" Length: 16 3/4" Voltage: 240 Amara/Colo-ic</p> |  <p>211818-1040</p> <p>3000 Watts Width: 20" Length: 20" Insert: 4" Frigidaire</p> |  <p>211806-1020</p> <p>2750 Watts Width: 12" Length: 19 1/2" Insert: 3 1/2" Frigidaire</p> |
| |  <p>3184477 Whipact Cooktop Polishing Cream. Specialty formulated to make glass ceramic shine. Designed for cleaning ceramic cooktops.</p> | | |